

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





4  
aTD224  
.W2W37

United States  
Department of  
Agriculture

Natural  
Resources  
Conservation  
Service



58

# Washington Basin Outlook Report March 1, 1996

NATL  
RES  
1996 JUN 11 10 16 AM





# Basin Outlook Reports and Federal - State - Private Cooperative Snow Surveys

---

*For more water supply and resource management information, contact:*

Local Natural Resources Conservation Service Field Office

or

Scott Pattee

Acting Water Supply Specialist

Natural Resources Conservation Service

W. 316 Boone Ave., Suite 450

Spokane, WA 99201-2348

(509) 353-2341

---

## *How forecasts are made*

Most of the annual streamflow in the Western United States originates as snowfall that has accumulated high in the mountains during winter and early spring. As the snowpack accumulates, hydrologists estimate the runoff that will occur when it melts. Predictions are based on careful measurements of snow water equivalent at selected index points. Precipitation, temperature, soil moisture and antecedent streamflow data are combined with snowpack data to prepare runoff forecasts. Streamflow forecasts are coordinated by Natural Resources Conservation Service and National Weather Service hydrologists. This report presents a comprehensive picture of water supply conditions for areas dependent upon surface runoff. It includes selected streamflow forecasts, summarized snowpack and precipitation data, reservoir storage data, and narratives describing current conditions.

Snowpack data are obtained by using a combination of manual and automated SNOTEL measurement methods. Manual readings of snow depth and water equivalent are taken at locations called snow courses on a monthly or semi-monthly schedule during the winter. In addition, snow water equivalent, precipitation and temperature are monitored on a daily basis and transmitted via meteor burst telemetry to central data collection facilities. Both monthly and daily data are used to project snowmelt runoff.

Forecast uncertainty originates from two sources: (1) uncertainty of future hydrologic and climatic conditions, and (2) error in the forecasting procedure. To express the uncertainty in the most probable forecast, four additional forecasts are provided. The actual streamflow can be expected to exceed the most probable forecast 50% of the time. Similarly, the actual streamflow volume can be expected to exceed the 90% forecast volume 90% of the time. The same is true for the 70%, 30%, and 10% forecasts. Generally, the 90% and 70% forecasts reflect drier than normal hydrologic and climatic conditions; the 30% and 10% forecasts reflect wetter than normal conditions. As the forecast season progresses, a greater portion of the future hydrologic and climatic uncertainty will become known and the additional forecasts will move closer to the most probable forecast.

---

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791.

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C., 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

# Washington Water Supply Outlook

March 1996

## General Outlook

After the devastating floods and the ensuing cleanup, February seemed to cruise by without any further notable weather events. For the most part Washington was locked into a pattern of cool dry weather. This pattern was a saving grace for the thousands who were trying to pick up the pieces and rebuild their lives after being forced from homes, schools and businesses earlier in the month. The effects of this season's floods will be felt and remembered for years to come.

## Streamflow

Forecasts for summer streamflow are for near to above average with a few streams on the westside forecasted below average. They vary from 142% of average for the Methow River near Pateros to 81% of normal for the Elwha River near Port Angeles. March forecasts for some Western Washington streams include: Cedar River near Cedar Falls, 88%; Green River, 105%; and the Dungeness River, 88%. Some Eastern Washington streams include Mill Creek at Walla Walla, 98%; the Wenatchee River at Peshastin, 108%; the Columbia River at The Dalles, 112%; and the Colville River, 107%. February streamflows varied greatly throughout the state but were all well above normal. The Naches at Naches River was the highest at 531% of average; and the Methow at Pateros, with 167% of normal, was the lowest in the state. Other streamflows were the following percentage of normal: Cowlitz River, 291%; Okanogan River, 245%; Spokane River, 328%; Columbia River at the Canadian border, 185%; and Yakima River at Parker, 384%.

### BASIN

PERCENT OF AVERAGE  
MOST PROBABLE FORECAST  
(50 PERCENT CHANCE OF EXCEEDANCE)

Spokane.....	91
Colville-Pend Oreille.....	104-126
Okanogan-Methow.....	109-142
Wenatchee-Chelan.....	101-139
Yakima.....	106-125
Walla Walla.....	98-114
Cowlitz-Lewis.....	92-125
White-Green-Cedar.....	85-105
North Puget Sound.....	95-96
Olympic Peninsula.....	81-88

## Snowpack

The March 1 statewide SNOTEL reading showed the snowpack at 89% of average. Snowpack varied across the state, with Olympic Peninsula River Basin reporting the lowest with 45% of average, and Entiat River Basin recording the highest at 144% of normal. Westside averages from SNOTEL and March 1 snow surveys include North Puget Sound River Basins with 79% of normal; White-Green-Cedar River Basins with 75%; and Lewis-Cowlitz Basins with 74% of normal. Snowpack along the east slopes of the Cascade Mountains include the Yakima with 95%, and the Wenatchee with 104%. Snowpack in Spokane River Basin was at 70%; Pend Oreille River Basin, including Canadian data, had 108% of normal. Maximum snow cover was at Lyman Lake SNOTEL in the north-central Cascade Mountains, with a water content of 63.1 inches. This site would normally have 48.4 inches of water content on March 1. High average in the state goes to Spirit Lake SNOTEL near Mt. St. Helens with 157% of normal. March 1 surveys indicated significant meltout at many of the lower to mid-elevation snow courses, bringing some basin-wide averages down slightly from last month. SNOTEL did not show any significant decreases.

BASIN	PERCENT OF LAST YEAR	PERCENT OF AVERAGE
Spokane.....	85.....	70
Colville.....	NA.....	NA
Pend Oreille.....	134.....	108
Okanogan.....	105.....	111
Methow.....	95.....	126
Wenatchee.....	87.....	104
Chelan.....	107.....	131
Yakima.....	85.....	95
Walla Walla.....	83.....	82
Cowlitz.....	85.....	86
Lewis.....	63.....	62
White.....	86.....	103
Green.....	76.....	65
North Puget Sound.....	74.....	79
Olympic Peninsula.....	55.....	45

*For more information contact your local Natural Resources Conservation Service office.*



## Precipitation

During the month of February the National Weather Service and Natural Resources Conservation Service climate stations showed above to much above normal precipitation across the state. The highest percent of average in the state was at Rimrock Dam in Yakima County, which reported 348% of normal for a total of 10.3 inches. Normal for this site is 2.9 inches for February. Averages for the water year varied from 116% of normal in the Olympic Peninsula River Basins, to 205% of normal in the Yakima River basin. The highest average for the year is 209% of normal at Bumping Ridge SNOTEL site in Yakima County.


BASIN	FEBRUARY PERCENT OF AVERAGE	WATER YEAR PERCENT OF AVERAGE
Spokane.....	201.....	149
Colville-Pend Oreille.....	165.....	135
Okanogan-Methow.....	156.....	124
Wenatchee-Chelan.....	190.....	151
Yakima.....	205.....	171
Walla Walla.....	158.....	140
Cowlitz-Lewis.....	193.....	161
White-Green-Cedar.....	168.....	158
North Puget Sound.....	163.....	159
Olympic Peninsula.....	116.....	122

## Reservoir

Reservoir storage in Washington remained above average for March 1. Reservoir storage in the Yakima Basin was 911,500 acre feet, 131% of normal. Storage at other reservoirs included Roosevelt at 143% of average, and the Okanogan reservoirs with 131% of normal for March 1. The power generation reservoirs include the following: Coeur d'Alene Lake, 293,500 acre feet, or 197% of normal; Chelan Lake, 470,00 acre feet, 280% of average and 70% of capacity; and Ross Lake at 370% of average and 81% of capacity.

BASIN	PERCENT OF CAPACITY	PERCENT OF AVERAGE
Spokane.....	123.....	197
Colville-Pend Oreille.....	78.....	138
Okanogan-Methow.....	78.....	131
Wenatchee-Chelan.....	70.....	280
Yakima.....	86.....	131
North Puget Sound.....	81.....	370

*For more information contact your local Natural Resources Conservation Service office.*



LEGEND  
CURRENT CONDITIONS

- MUCH ABOVE AVERAGE > 130%
- ABOVE AVERAGE 110 - 130%
- NEAR AVERAGE 90 - 110%
- BELOW AVERAGE 70 - 90%
- MUCH BELOW AVERAGE < 70%
- NOT FORCASTED
- WATERSHED BOUNDARY


MARCH 1, 1996

# STREAMFLOW PROSPECTS WASHINGTON

U.S. DEPARTMENT OF AGRICULTURE  
NATURAL RESOURCES CONSERVATION SERVICE

NTS





LEGEND  
CURRENT CONDITIONS

- MUCH ABOVE AVERAGE > 130%
- ABOVE AVERAGE 110 - 130%
- NEAR AVERAGE 90 - 110%
- BELOW AVERAGE 70 - 90%
- MUCH BELOW AVERAGE < 70%
- NOT FORCASTED
- WATERSHED BOUNDARY

MARCH 1, 1996

MOUNTAIN SNOWPACK  
WASHINGTON

US DEPARTMENT OF AGRICULTURE  
NATURAL RESOURCES CONSERVATION SERVICE

NTS

# BASIN SUMMARY OF SNOW COURSE DATA MARCH 1996

SNOW COURSE	ELEVATION	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 1961-90	SNOW COURSE	ELEVATION	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 1961-90		
PEND OREILLE RIVER							CHELAN LAKE BASIN								
BENTON MEADOW	2370	3/01/96	8	2.4	3.0	5.9	CLOUDY PASS	AM	6500	3/01/96	123	49.2	51.2	32.9	
BENTON SPRING	4920	3/01/96	36	11.4	14.9	16.7	LYMAN LAKE	PILLOW	5900	3/01/96	---	63.1S	64.1	48.4	
BOYER MOUNTAIN	5250	2/29/96	45	13.9	23.6	21.6	LITTLE MDWS	AM	5280	3/01/96	122	51.2	42.0	37.2	
BUNCHGRASS MEADOWS	5000	2/28/96	70	21.4	---	26.6	MINERS RIDGE	PILLOW	6200	3/01/96	---	49.4S	47.7	46.9	
BUNCHGRASS MDWPILLOW	5000	3/01/96	---	21.4	26.9	22.7	PARK CK RIDGE	PILLOW	4600	3/01/96	---	50.6S	35.4	40.6	
HOODOO BASIN	6050	3/01/96	---	51.0E	34.5	42.7	RAINY PASS		4780	3/01/96	94	31.0	40.0	33.4	
HOODOO CREEK	5900	3/01/96	---	46.4E	29.9	39.2	RAINY PASS	PILLOW	4780	3/01/96	---	51.3S	48.6	32.7	
LOOKOUT	PILLOW	5140	3/01/96	---	22.6	22.5	28.0	ENTIAT RIVER							
NELSON	CAN.	3100	2/27/96	41	13.2	15.0	14.3	BRIEF		1600	2/26/96	26	9.3	10.0	6.9
KETTLE RIVER							POPE RIDGE	PILLOW	3540	3/01/96	---	24.8S	24.0	16.7	
BARNES CREEK	CAN.	5300	3/02/96	64	21.9	14.9	17.2	WENATCHEE RIVER							
BIG WHITE MTN	CAN.	5510	3/02/96	63	19.8	19.8	16.3	BERNE-MILL CREEK (d)		3170	2/28/96	62	21.5	28.8	24.7
BUTTE CREEK		4070	3/01/96	---	7.8E	8.6	8.2	BLEWETT PASS#2PILLOW		4270	3/01/96	---	12.4S	19.2	17.0
CARMI	CAN.	4100	3/02/96	25	7.1	4.7	6.1	CHIWAUKUM G.S.		2500	2/28/96	38	12.5	14.2	10.7
FARRON	CAN.	4000	2/26/96	43	13.1	12.0	12.4	FISH LAKE	PILLOW	3370	3/01/96	---	34.6S	34.4	28.4
GOAT CREEK		3600	2/26/96	24	6.3	4.7	6.4	LYMAN LAKE	PILLOW	5900	3/01/96	---	63.1S	64.1	48.4
MONASHEE PASS	CAN.	4500	3/02/96	45	13.9	10.7	12.2	MERRITT		2140	2/28/96	46	16.2	16.4	14.4
SUMMIT G.S.		4600	2/26/96	33	8.1	7.8	7.1	MISSION RIDGE		5000	2/26/96	52	14.9	19.0	14.0
TRAPPING CK LOW	CAN.	3050	3/02/96	24	6.9	4.9	5.1	STEVEN'S PASS	PILLOW	4070	3/01/96	---	30.0S	41.3	34.7
TRAPPING CK UP	CAN.	4460	3/02/96	28	7.9	6.7	9.1	STEVEN'S PASS SAND SD		3700	2/28/96	63	23.3	30.9	31.1
COLVILLE RIVER							TROUGH #2	PILLOW	5310	3/01/96	---	10.0S	12.1	9.0	
BAIRD #2		3220	2/29/96	22	5.5	8.7	--	UPPER WHEELER		4400	2/27/96	22	5.6	7.0	9.4
CHEWALAH #2		4930	2/27/96	36	10.3	17.6	--	UPPER WHEELER	PILLOW	4400	3/01/96	---	11.1S	15.5	12.1
OMAK LAKE, TWIN LAKES							STEMILT CREEK								
MOSES MOUNTAIN (1)		4800	2/29/96	53	16.5	16.0	14.4	STEMILT SLIDE		5000	2/27/96	41	10.9	15.0	12.7
MOSES MTN	PILLOW	4800	3/01/96	---	14.4S	14.3	11.7	UPPER WHEELER		4400	2/27/96	22	5.6	7.0	9.4
MOSES MEADOWS (3)		3800	2/28/96	18	4.5	.0	2.4	UPPER WHEELER	PILLOW	4400	3/01/96	---	11.1S	15.5	12.1
MOSES PEAK (2)		6650	2/29/96	34	10.3	19.1	10.3	COLOCUM CREEK							
MOUNT TOLMAN		2000	2/27/96	7	2.3	.0	3.5	TROUGH #2	PILLOW	5310	3/01/96	---	10.0S	12.1	9.0
TWIN LAKES		2700	2/27/96	17	5.7	6.7	8.7	YAKIMA RIVER							
SPOKANE RIVER							BLEWETT PASS#2PILLOW		4270	3/01/96	---	12.4S	19.2	17.0	
FOURTH OF JULY SUM		3200	2/28/96	32	8.9	2.5	8.4	BUMPING LAKE (NEW)		3400	3/01/96	---	17.5E	16.1	17.6
LOST LAKE (d)		6110	3/01/96	---	46.9E	38.6	47.2	BUMPING RIDGE	PILLOW	4600	3/01/96	---	18.3S	23.9	18.4
MOSQUITO RDG	PILLOW	5200	3/01/96	---	26.8	28.2	32.2	CAYUSE PASS		5300	3/01/96	---	62.0E	67.3	65.3
SUNSET		5540	3/05/96	54	15.9	13.6	30.8	CORRAL PASS	PILLOW	6000	3/01/96	---	29.0S	30.1	27.6
SUNSET	PILLOW	5540	3/01/96	---	21.9	17.0	32.0	FISH LAKE		3370	3/01/96	---	36.0E	34.1	29.3
LOOKOUT	PILLOW	5140	3/01/96	---	22.6	22.5	28.0	FISH LAKE	PILLOW	3370	3/01/96	---	34.6S	34.4	28.4
NEWMAN LAKE							GREEN LAKE		6000	3/01/96	---	32.6E	35.0	29.1	
QUARTZ PEAK	PILLOW	4700	3/01/96	---	10.7	22.8	18.6	GREEN LAKE	PILLOW	6000	3/01/96	---	19.6S	22.7	17.5
OKANOGAN RIVER							GROUSE CAMP	PILLOW	5380	3/01/96	---	19.4S	23.1	17.1	
ABERDEEN LAKE	CAN.	4300	3/01/96	28	7.7	4.2	5.9	DOMMERIE FLATS		2200	3/01/96	---	7.0E	7.2	7.7
BLACKWALL PEAK	CAN.	6370	3/01/96	---	30.7	--	29.6	LOST HORSE	PILLOW	5000	3/01/96	---	16.0S	17.1	25.6
BRENDA MINE	CAN.	4800	2/28/96	45	13.9	11.2	11.9	MORSE LAKE	PILLOW	5400	3/01/96	---	43.7S	59.3	38.5
BROOKMERE	CAN.	3200	2/27/96	32	8.6	7.3	8.0	OLALLIE MDWS	PILLOW	3960	3/01/96	---	35.9S	39.5	44.6
ENDERBY	CAN.	6200	2/25/96	113	35.7	30.7	32.6	OLALLIE MEADOWS		3630	3/01/96	29	18.4	24.7	38.7
ESPERON CK. UP	CAN.	5410	2/25/96	52	14.3	15.8	15.7	SASSE RIDGE	PILLOW	4200	3/01/96	---	29.0S	35.9	27.4
FREEZEOUT CK. TRAIL		3500	2/29/96	22	6.6	10.8	11.1	STAMPEDE PASS	PILLOW	3860	3/01/96	---	29.8S	48.5	38.2
GREYBACK RES	CAN.	5120	2/27/96	39	10.3	8.5	7.8	WHITE PASS ES	PILLOW	4500	3/01/96	---	15.6S	22.5	20.7
HAMILTON HILL	CAN.	4890	3/02/96	40	13.4	10.9	13.7	AHTANUM CREEK							
HARTS PASS		6500	2/29/96	125	43.1	40.0	36.2	GREEN LAKE		6000	3/01/96	---	32.6E	35.0	29.1
HARTS PASS	PILLOW	6500	3/01/96	---	47.6S	44.0	34.6	GREEN LAKE	PILLOW	6000	3/01/96	---	19.6S	22.7	17.5
ISINTOK LAKE	CAN.	5500	2/27/96	31	7.7	6.4	6.8	LOST HORSE	PILLOW	5000	3/01/96	---	16.0S	17.1	25.6
LIGHTNING LAKE	CAN.	4000	3/03/96	40	12.1	10.9	11.9	MILL CREEK							
LOST HORSE MTN	CAN.	6300	2/27/96	39	9.7	8.3	8.1	HIGH RIDGE	PILLOW	4980	3/01/96	---	16.8S	22.0	21.6
MCCULLOCH	CAN.	4200	2/28/96	25	6.4	6.5	6.4	TOUCHET #2	PILLOW	5530	3/01/96	---	23.9	27.1	27.8
MISSEZULA MTN	CAN.	5090	3/02/96	31	9.3	10.5	9.0	LEWIS - COWLITZ RIVERS							
MISSION CREEK	CAN.	5800	3/01/96	---	14.6	--	17.2	CAYUSE PASS		5300	3/01/96	---	62.0E	67.3	65.3
MONASHEE PASS	CAN.	4500	3/02/96	45	13.9	10.7	12.2	JUNE LAKE	PILLOW	3200	3/01/96	---	9.8S	32.3	33.6
MT. KOBAY	CAN.	5900	2/29/96	41	11.5	12.4	10.7	LONE PINE	PILLOW	3800	3/01/96	---	19.7S	27.1	28.1
MUTTON CREEK #1		5700	3/01/96	41	12.0	14.1	11.4	PARADISE PARK	PILLOW	5500	3/01/96	---	49.4S	61.7	47.9
OYAMA LAKE	CAN.	4400	2/29/96	31	8.2	7.0	6.1	PIGTAIL PEAK	PILLOW	5900	3/01/96	---	46.4S	42.0	41.0
POSTILL LAKE	CAN.	4500	2/28/96	33	8.9	8.3	7.4	POTATO HILL	PILLOW	4500	3/01/96	---	17.5S	20.4	21.9
RUSTY CREEK		4000	3/01/96	23	7.0	8.2	6.2	SHEEP CANYON	PILLOW	4050	3/01/96	---	9.4S	20.7	30.1
SALMON MDWS	PILLOW	4500	3/01/96	---	9.4S	13.5	8.3	SPENCER MDW	PILLOW	3400	3/01/96	---	20.3S	26.3	27.2
SILVER STAR MTN	CAN.	6000	2/28/96	83	29.5	26.5	24.3	SPIRIT LAKE	PILLOW	3100	3/01/96	---	1.0S	3.3	6.6
SUMMERLAND RES	CAN.	4200	2/26/96	37	10.1	9.1	8.7	SURPRISE LKS	PILLOW	4250	3/01/96	---	28.8S	39.2	37.5
SUNDAY SUMMIT	CAN.	4300	3/03/96	19	5.6	3.9	5.5	WHITE PASS ES	PILLOW	4500	3/01/96	---	15.6S	22.5	20.7
TROUT CREEK	CAN.	4690	2/27/96	33	8.7	6.3	6.7	WHITE RIVER							
VASEUX CREEK	CAN.	4600	2/28/96	22	5.4	6.2	5.9	CAYUSE PASS		5300	3/01/96	---	62.0E	67.3	65.3
WHITE ROCKS MTN	CAN.	6000	3/04/96	59	17.7	21.6	20.0	CORRAL PASS		6000	2/28/96	80	29.4	37.0	33.9
METHOW RIVER							CORRAL PASS	PILLOW	6000	3/01/96	---	29.0S	30.1	27.6	
HARTS PASS		6500	2/29/96	125	43.1	40.0	36.2	MORSE LAKE	PILLOW	5400	3/01/96	---	43.7S	59.3	38.5
HARTS PASS	PILLOW	6500	3/01/96	---	47.6S	44.0	34.6	GREEN RIVER							
MUTTON CREEK #1		5700	3/01/96	41	12.0	14.1	11.4	COUGAR MTN.	PILLOW	3200	3/01/96	---	9.4S	9.7	18.6
RUSTY CREEK		4000	3/01/96	23	7.0	8.2	6.2	GRASS MOUNTAIN #2		2900	2/28/96	18	3.0	.0	13.9
SALMON MDWS	PILLOW	4500	3/01/96	---	9.4S	13.5	8.3	LESTER CREEK		3100	2/28/96	37	13.0	17.9	17.7




SNOW COURSE	ELEVATION	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 1961-90	SNOW COURSE	ELEVATION	DATE	SNOW DEPTH	WATER CONTENT	LAST YEAR	AVERAGE 1961-90	
LYNN LAKE	4000	3/01/96	---	12.8E	9.6	16.0	LIGHTNING LAKE CAN.	4000	3/03/96	40	12.1	10.9	11.9	
SAWMILL RIDGE	4700	2/28/96	44	17.2	29.5	29.7	LYMAN LAKE PILLOW	5900	3/01/96	---	63.1S	64.1	48.4	
STAMPEDE PASS PILLOW	3860	3/01/96	---	29.8S	48.5	38.2	MEADOWS CABIN	1900	2/29/96	8	3.1	2.3	6.2	
TWIN CAMP	4100	2/28/96	43	15.5	17.8	21.8	NEW HOZOMEEN LAKE	2800	2/28/96	20	5.5	6.3	10.9	
CEDAR RIVER							RAINY PASS	4780	3/01/96	94	31.0	40.0	33.4	
CITY CABIN	2390	2/27/96	25	8.8	9.8	12.3	RAINY PASS PILLOW	4780	3/01/96	---	51.3S	48.6	32.7	
MT. GARDNER	3300	2/27/96	19	6.4	5.0	14.2	THUNDER BASIN	4200	3/01/96	49	14.8	19.2	18.5	
MT. GARDNER PILLOW	2860	3/01/96	---	9.0S	9.3	14.2	THUNDER BASIN PILLOW	4200	3/01/96	---	27.7S	30.1	32.3	
TINKHAM CREEK PILLOW	3000	3/01/96	---	18.5S	24.3	17.2	BAKER RIVER							
MEADOWS PASS PILLOW	3240	3/01/96	---	11.3S	12.0	18.1	DOCK BUTTE	AM	3800	2/29/96	65	26.0	49.0	56.1
SNOQUALMIE RIVER							EASY PASS	AM	5200	2/29/96	120	53.0	86.0	64.5
ALPINE MEADOWS	3500	2/27/96	50	16.6	32.0	33.8	JASPER PASS	AM	5400	2/29/96	125	50.0	86.0	75.0
OLALLIE MDWS PILLOW	3960	3/01/96	---	35.9S	39.5	44.6	MARTEN LAKE	AM	3600	2/29/96	84	33.0	63.0	63.6
OLALLIE MEADOWS	3630	3/01/96	29	18.4	24.7	38.7	MT. BLUM	AM	5800	2/29/96	100	40.0	61.0	55.9
SKYKOMISH RIVER							ROCKY CREEK	AM	2100	2/29/96	36	14.0	33.0	25.2
STAMPEDE PASS PILLOW	3860	3/01/96	---	29.8S	48.5	38.2	SCHREIBERS MDW	AM	3400	2/29/96	58	23.0	48.0	47.9
STEVENS PASS PILLOW	4070	3/01/96	---	30.0S	41.3	34.7	SF THUNDER CK	AM	2200	2/29/96	4	1.5	.0	7.9
STEVENS PASS SAND SD	3700	2/28/96	63	23.3	30.9	31.1	WATSON LAKES	AM	4500	2/29/96	68	26.0	40.0	53.3
SKAGIT RIVER							ELWHA RIVER							
BEAVER CREEK TRAIL	2200	2/28/96	26	7.7	10.8	12.6	HURRICANE	4500	2/29/96	18	4.0	10.4	17.4	
BEAVER PASS	3680	2/28/96	50	16.2	26.4	25.1	MORSE CREEK							
BROWN TOP	AM	6000	134	51.0	56.0	51.9	COX VALLEY	4500	2/28/96	63	15.7	31.3	32.4	
CLOUDY PASS	AM	6500	123	49.2	51.2	32.9	DUNGENESS RIVER							
DEVILS PARK	5900	2/29/96	114	42.6	43.0	36.9	DEER PARK	5200	2/28/96	30	7.8	11.2	17.3	
FREEZEOUT CK. TRAIL	3500	2/29/96	22	6.6	10.8	11.1	QUILCENE RIVER							
HARTS PASS	6500	2/29/96	125	43.1	40.0	36.2	MOUNT CRAG	PILLOW	4050	3/01/96	---	16.9S	28.3	26.5
HARTS PASS PILLOW	6500	3/01/96	---	47.6S	44.0	34.6	WYNOOCHEE RIVER							
KLESILKWA	CAN.	3710	3/01/96	10	2.4	4.0	CARROL PASS	3650	2/25/96	35	9.0	--	23.8	

(d) Denotes discontinued site.

(d) Denotes discontinued site.




# Washington Mountain Snowpack & Precipitation March 11, 1996






# Spokane River Basin

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

The March 1 forecasts for summer runoff within the Spokane River Basin are 91% of normal, about the same as last year at this time. The forecast is based on a basin snowpack that is 70% of average and precipitation that is 149% of normal for the water year. Precipitation for February was 201% of average. Streamflow on the Spokane River was 328% of average for February. March 1 storage in Coeur d'Alene Lake was 293,500 acre feet, 197% of normal, and 123% of capacity.

For more information contact your local Natural Resources Conservation Service office.

# SPOKANE RIVER BASIN

## Streamflow Forecasts - March 1, 1996

Forecast Point	Forecast Period	<<----- Drier -----		Future Conditions		----- Wetter ----->>		30-Yr Avg. (1000AF)
		90%	70%	Chance Of Exceeding *		30%	10%	
		(1000AF)	(1000AF)	50% (Most Probable) (1000AF)	(% AVG.)	(1000AF)	(1000AF)	
SPOKANE near Post Falls (2)	APR-SEP	1900	2250	2490	91	2730	3080	2730
	APR-JUL	1820	2160	2400	91	2640	2980	2633
SPOKANE at Long Lake	APR-JUL	2050	2420	2670	91	2920	3290	2936
	APR-SEP	2230	2610	2870	91	3130	3510	3159

### SPOKANE RIVER BASIN Reservoir Storage (1000 AF) - End of February

### SPOKANE RIVER BASIN Watershed Snowpack Analysis - March 1, 1996


Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
COEUR D'ALENE	238.5	293.5	348.5	149.1	Spokane River	18	85	70

\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

The average is computed for the 1961-1990 base period.


- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.  
 (2) - The value is natural flow - actual flow may be affected by upstream water management.

## Quartz Peak SNOTEL Elevation 4700 ft.




# Colville - Pend Oreille River Basins

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

Forecasts for the basin are essentially unchanged from last month. The forecast for the Kettle River streamflow is for 126% of normal; the Pend Oreille, below Box Canyon, 113%; Priest River, near the town of Priest River, 104% of normal for the summer runoff period. Forecast for the Columbia River at Birchbank is for runoff to be 117% of average. February streamflow was 285% of normal on the Pend Oreille River; 185% on the Columbia at the International Boundary; and 255% on the Kettle River. March 1 snow cover was 108% of normal in the Pend Oreille Basin, and 113% for the Kettle River Basin. Precipitation during February was 165% of average, bringing the water year-to-date to 135% of normal.

For more information contact your local Natural Resources Conservation Service office.



## COLVILLE - PEND OREILLE RIVER BASINS

### Streamflow Forecasts - March 1, 1996

Forecast Point	Forecast Period	<<===== Drier =====		Future Conditions		===== Wetter =====>>		30-Yr Avg. (1000AF)
		Chance Of Exceeding *						
		90% (1000AF)	70% (1000AF)	50% (Most Probable) (1000AF)	(% AVG.)	30% (1000AF)	10% (1000AF)	
PEND OREILLE Lake Inflow (1,2)	APR-JUL	11900	14000	15000	114	16000	18100	13150
	APR-SEP	13000	15400	16400	114	17500	19800	14370
	APR-JUN	10100	12100	13000	114	13900	15900	11390
PRIEST nr Priest River (1,2)	APR-JUL	635	780	850	104	920	1070	814
	APR-SEP	675	835	905	104	975	1140	868
PEND OREILLE bl Box Canyon (1,2)	APR-JUL	12400	14300	15100	113	15900	17800	13380
	APR-SEP	13300	15600	16500	113	17400	19800	14590
	APR-JUN	10700	12300	13070	113	13800	15400	11570
CHAMOKANE CK nr Long Lake	MAY-AUG	3.6	7.2	9.6	102	12.0	15.6	9.4
COLVILLE at Kettle Falls	APR-SEP	100	124	140	107	156	180	131
	APR-JUL	91	113	128	107	143	165	120
	APR-JUN	85	105	118	106	131	151	111
KETTLE near Laurier	APR-SEP	2030	2210	2340	126	2470	2650	1854
	APR-JUL	1940	2110	2220	126	2330	2500	1761
	APR-JUN	1750	1900	2000	126	2100	2250	1585
COLUMBIA at Birchbank (1,2)	APR-JUL	36000	39400	41000	117	42600	46000	35140
	APR-SEP	44800	49100	51100	117	53100	57400	43810
	APR-JUN	25900	28400	29500	115	30600	33100	25670
COLUMBIA at Grand Coulee Dm (1,2)	APR-SEP	65200	72300	75500	116	78700	85800	64850
	APR-JUL	54300	60200	62900	115	65600	71500	54543
	APR-JUN	42500	47100	49170	115	51300	55900	42756

COLVILLE - PEND OREILLE RIVER BASINS Reservoir Storage (1000 AF) - End of February					COLVILLE - PEND OREILLE RIVER BASINS Watershed Snowpack Analysis - March 1, 1996			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
ROOSEVELT	5232.0	3964.4	2730.7	2763.0	Colville River	0	0	0
BANKS	715.0	681.6	613.3	606.0	Pend Oreille River	92	135	108
					Kettle River	10	119	113


\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

The average is computed for the 1961-1990 base period.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.  
 (2) - The value is natural flow - actual flow may be affected by upstream water management.


## Bunchgrass Meadow SNOTEL

### Elevation 5000 ft.




# Okanogan - Methow River Basins

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

Summer runoff forecast for the Okanogan River is 126% of normal; the Similkameen River, 130%; the Methow River, 142%; and Salmon Creek, 109% of normal. March 1 snow cover on the Okanogan was 111% of normal, and on the Methow, 126%. February precipitation in the Okanogan-Methow was 156% of normal, with water year-to-date at 124% of average. February streamflow on the Methow River was 167% of normal; 245% on the Okanogan River; and 288% on the Similkameen. Snow-water-content at the Harts Pass SNOTEL, elevation 6,500 feet, was 47.6 inches; normal for this site is 34.6 inches. Storage in the Conconully Reservoirs was 18,300 acre feet, which is 78% of capacity and 131% of the March 1 average.

For more information contact your local Natural Resources Conservation Service office.

# **OKANOGAN - METHOW RIVER BASINS** Streamflow Forecasts - March 1, 1996

		<<===== Drier ===== Future Conditions ===== Wetter =====>>						
Forecast Point	Forecast Period	90% (1000AF)		Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)		30% (1000AF) 10% (1000AF)		30-Yr Avg. (1000AF)
SIMILKAMEEN nr Nighthawk (1)	APR-SEP	1430	1720	1820	130	1920	2220	1399
	APR-JUL	1410	1610	1700	130	1790	1990	1304
	APR-JUN	1220	1380	1458	131	1530	1700	1113
OKANOGAN RIVER nr Tonasket (1)	APR-SEP	1430	1840	2040	126	2240	2650	1624
	APR-JUL	1280	1670	1846	126	2020	2410	1467
	APR-JUN	1160	1450	1580	128	1710	2000	1234
SALMON CREEK near Conconully	APR-JUL	8.0	15.6	21	109	26	34	19.1
	APR-SEP	8.5	16.4	22	109	27	35	20
METHOW RIVER near Pateros	APR-SEP	1010	1280	1340	142	1400	1670	942
	APR-JUL	1070	1150	1200	137	1250	1330	873
	APR-JUN	905	980	1030	138	1080	1160	746

OKANOGAN - METHOW RIVER BASINS Reservoir Storage (1000 AF) - End of February					OKANOGAN - METHOW RIVER BASINS Watershed Snowpack Analysis - March 1, 1996			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
SALMON LAKE		NO REPORT			Okanogan River	27	105	111
CONCONULLY RESERVOIR		NO REPORT			Methow River	4	95	126


\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

The average is computed for the 1961-1990 base period.

(1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.

(2) - The value is natural flow - actual flow may be affected by upstream water management.


## **Salmon Meadows SNOTEL** Elevation 4500 ft.






# Wenatchee - Chelan River Basins

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

Precipitation during February was 190% of normal in the basin and 151% for the year-to-date. Runoff for the Entiat River is forecast to be 139% of normal for the summer. The April-September forecast for the Chelan River is for 117%; for the Wenatchee River, 108%; and 117% on the Stehekin. Icicle Creek is forecast to be 101% of normal this summer. Streamflow for February on the Chelan River was 207% of average; on the Wenatchee River it was 284% of normal. March 1 snowpack in the Wenatchee Basin was 104% of average. The Chelan Basin was 131% of average, and Stemilt Creek was at 89% of normal. Snowpack in the Entiat River Basin was at 144% of average, up from 118% last month. Reservoir storage in Lake Chelan was 470,00 acre feet or 280% of March 1 average and 70% of capacity. Lyman Lake SNOTEL had the most snow water with 63.1 inches of water. This site normally has 48.4 inches and last year it had 64.1 inches on March 1.

For more information contact your local Natural Resources Conservation Service office.

# **WENATCHEE - CHELAN RIVER BASINS** Streamflow Forecasts - March 1, 1996

		<<===== Drier ===== Future Conditions ===== Wetter =====>>						
Forecast Point	Forecast Period	=====		Chance Of Exceeding *		=====		30-Yr Avg. (1000AF)
		90% (1000AF)	70% (1000AF)	50% (Most Probable) (1000AF)	(% AVG.)	30% (1000AF)	10% (1000AF)	
=====								
CHELAN RIVER near Chelan	APR-SEP	1200	1290	1360	117	1430	1520	1160
	APR-JUL	1070	1160	1210	118	1270	1350	1024
	APR-JUN	850	920	970	119	1020	1090	812
=====								
STEHEKIN near STEHEKIN	APR-SEP	860	925	970	117	1010	1080	827
	APR-JUL	745	795	830	118	865	915	701
	APR-JUN	560	605	635	118	665	710	538
=====								
ENTIAT RIVER near Ardenvoir	APR-SEP	285	300	315	139	330	345	227
	APR-JUL	260	275	286	139	295	315	206
	APR-JUN	200	215	227	134	235	250	169
=====								
WENATCHEE at Plain	APR-SEP	1130	1220	1289	108	1350	1450	1190
	APR-JUL	1030	1110	1154	108	1200	1280	1072
	APR-JUN	895	945	982	114	1020	1070	864
=====								
WENATCHEE R. at Peshastin	APR-SEP	1240	1550	1770	108	1990	2300	1636
	APR-JUL	1120	1410	1600	108	1800	2080	1485
	APR-JUN	915	1140	1300	108	1460	1690	1204
=====								
STEMILT nr Wenatchee (miners in)	MAY-SEP	98	124	142	103	160	186	138
=====								
ICICLE CREEK nr Leavenworth	APR-SEP	255	325	375	101	425	495	370
	APR-JUL	235	300	343	101	385	450	340
	APR-JUN	187	240	273	101	310	360	270
=====								
COLUMBIA R. bl Rock Island Dam (2)	APR-SEP	71600	78500	83100	118	87700	94600	70485
	APR-JUL	60100	65900	69800	117	73700	79500	59736
	APR-JUN	47400	51900	55000	117	58100	62600	47007

WENATCHEE - CHELAN RIVER BASINS  
Reservoir Storage (1000 AF) - End of February

WENATCHEE - CHELAN RIVER BASINS  
Watershed Snowpack Analysis - March 1, 1996

Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
CHELAN LAKE	676.1	470.0	231.7	168.1	Chelan Lake Basin	5	107	131
					Entiat River	2	100	144
					Wenatchee River	12	87	104
					Squilchuck Creek	0	0	0
					Stemilt Creek	2	72	89
					Colockum Creek	1	83	111


\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

The average is computed for the 1961-1990 base period.

(1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.


(2) - The value is natural flow - actual flow may be affected by upstream water management.

## Pope Ridge SNOTEL Elevation 3540 ft.




# Yakima River Basin

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

March 1 reservoir storage for the five major reservoirs was 911,500 acre feet, 131% of average. March 1 summer streamflow forecasts are for near to above normal in the Yakima Basin. Forecasts for the Yakima River at Cle Elum are for 107% of normal; Naches River, 112%; the Yakima River at Parker, 109%; Ahtanum Creek, 110%; and the Tieton River, 109%. The Klickitat River near Glenwood is forecast at 143% of normal flows this summer. February streamflows within the basin were; the Yakima River at Parker, 384% of normal; the Yakima near Cle Elum, 311%; and the Naches River at 531%. March 1 snowpack was 95%, based upon 17 snow courses and SNOTEL readings within the Yakima Basin. Precipitation was 205% of normal for February and 171% for the water year-to-date. Volume forecasts for the Yakima Basin are for natural flow. As such, they may differ from the U.S. Bureau of Reclamation's forecast for the total water supply available which includes irrigation return flow.

For more information contact your local Natural Resources Conservation Service office.



# YAKIMA RIVER BASIN

## Streamflow Forecasts - March 1, 1996

Forecast Point	Forecast Period	<<----- Drier ----- Future Conditions ----- Wetter ----->>						30-Yr Avg. (1000AF)				
		90% (1000AF)		70% (1000AF)		Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)			30% (1000AF)		10% (1000AF)	
KEECHELUS LAKE INFLOW	APR-JUL	116	128			136	110			144	156	124
	APR-SEP	122	136			146	108			156	170	135
	APR-JUN	105	114			120	110			126	135	109
KACHESS LAKE INFLOW	APR-JUL	101	112			120	108			128	139	111
	APR-SEP	105	117			125	106			133	145	118
	APR-JUN	92	101			107	108			113	123	99
CLE ELUM LAKE INFLOW	APR-JUL	410	435			450	110			465	490	409
	APR-SEP	430	460			480	107			500	530	448
	APR-JUN	345	365			380	110			395	415	345
YAKIMA at Cle Elum	APR-JUN	710	755			785	109			815	860	721
	APR-JUL	815	870			907	109			945	1000	832
	APR-SEP	875	940			980	107			1020	1080	915
BUMPING LAKE INFLOW	APR-SEP	128	142			151	111			160	174	136
	APR-JUL	117	130			138	111			146	159	124
	APR-JUN	94	106			114	110			122	134	104
AMERICAN RIVER near Nile	APR-SEP	110	120			126	107			132	142	118
	APR-JUL	100	109			115	106			121	130	109
	APR-JUN	82	90			96	105			102	111	92
RIMROCK LAKE INFLOW	APR-SEP	225	245			260	109			275	295	238
	APR-JUL	193	210			220	110			230	245	200
	APR-JUN	154	168			178	110			188	200	162
NACHES near Naches	APR-SEP	810	880			930	112			980	1050	832
	APR-JUL	740	805			850	113			895	960	755
	APR-JUN	640	695			735	113			775	830	651
AHTANUM CREEK nr Tampico (2)	APR-SEP	33	43			51	110			58	68	46
	APR-JUL	30	40			46	110			53	62	42
	APR-JUN	26	34			40	110			45	54	36
YAKIMA near Parker	APR-SEP	1900	2060			2170	109			2280	2440	1994
	APR-JUL	1750	1890			1985	110			2080	2220	1805
	APR-JUN	1570	1680			1760	110			1840	1950	1597
KLICKITAT near Glenwood	APR-JUN	117	130			138	126			146	159	110
	APR-SEP	146	163			175	125			187	204	140

YAKIMA RIVER BASIN Reservoir Storage (1000 AF) - End of February					YAKIMA RIVER BASIN Watershed Snowpack Analysis - March 1, 1996			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
KEECHELUS	157.8	137.7	110.0	105.0	Yakima River	17	85	95
KACHESS	239.0	216.6	110.4	179.0	Ahtanum Creek	2	90	112
CLE ELUM	436.9	375.0	196.6	273.0				
BUMPING LAKE	33.7	18.6	17.2	10.0				
RIMROCK	198.0	163.6	138.0	130.0				


\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

The average is computed for the 1961-1990 base period.


- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.  
(2) - The value is natural flow - actual flow may be affected by upstream water management.

# Walla Walla River Basin

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

February precipitation was 158% of average, bringing the year-to-date precipitation to 83% of normal. March 1 snowpack was 82% of average. The forecast is for 114% of average streamflow in the Walla Walla River for the coming summer; for the Grande Ronde at Troy, 98%; and 98% for Mill Creek. February streamflow was 473% of normal for the South Fork Walla Walla River; 246% for the Snake River; and 401% for the Grande Ronde River near Troy. The Touchet SNOTEL site had 23.9 inches of snow-water-equivalent; the normal March 1 reading for this site is 27.8 inches.

For more information contact your local Natural Resources Conservation Service office.

# WALLA WALLA RIVER BASIN

## Streamflow Forecasts - March 1, 1996

Forecast Point	Forecast Period	<<===== Drier ===== Future Conditions ===== Wetter =====>>						30-Yr Avg. (1000AF)
		90% (1000AF)	70% (1000AF)	Chance Of Exceeding *		30% (1000AF)	10% (1000AF)	
GRANDE RONDE at Troy (1)	MAR-JUL	1070	1370	1510	103	1650	1950	1471
	APR-SEP	880	1160	1280	98	1410	1680	1312
SNAKE blw Lower Granite Dam (1,2)	APR-JUL	16300	21300	23600	109	25900	30900	21650
	APR-SEP	18800	24400	27000	111	29600	35200	24360
MILL CREEK at Walla Walla	APR-SEP	9.3	13.7	16.7	98	19.7	24	17.1
	APR-JUL	9.2	13.6	16.6	98	19.6	24	16.9
	APR-JUN	9.1	13.5	16.4	98	19.3	24	16.7
SF WALLA WALLA nr Milton Freewater	APR-JUL	48	54	58	109	62	68	53
	APR-SEP	64	71	75	114	80	86	66
COLUMBIA R. at The Dalles (2)	APR-SEP	92800	104000	111000	112	118000	129000	98982
	APR-JUL	79000	88300	94600	112	101000	110000	84760
	APR-JUN	64600	72100	77200	112	82300	89800	68925

WALLA WALLA RIVER BASIN Reservoir Storage (1000 AF) - End of February				WALLA WALLA RIVER BASIN Watershed Snowpack Analysis - March 1, 1996			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of Last Yr Average
		This Year	Last Year	Avg			
					Mill Creek	1	76 78

\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.


The average is computed for the 1961-1990 base period.

(1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.

(2) - The value is natural flow - actual flow may be affected by upstream water management.

## Touchet #2 SNOTEL


### Elevation 5530 ft.






# Cowlitz - Lewis River Basins

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

The forecast for summer runoff in the Lewis River Basin is 105% of normal; the Cowlitz River at Castle Rock is forecast for 103% of normal runoff. February streamflow for the Cowlitz River was 291% of average, and 228% for the Lewis River. February precipitation was 193% of normal, 161% of average for the water year. March 1 snow cover for the Cowlitz River was 86%, and the Lewis River was 62% of average, both down considerably from last month. The Paradise Park SNOTEL recorded the most water content for the basin with 49.4 inches of water; normal March 1 water content is 47.9 inches. Forecasters believe that adequate higher elevation snowpack will help sustain summer runoff.

For more information contact your local Natural Resources Conservation Service office.

# COWLITZ - LEWIS RIVER BASINS

## Streamflow Forecasts - March 1, 1996

Forecast Point	Forecast Period	<----- Drier ----- Future Conditions ----- Wetter ----->						
		90% 70%		Chance Of Exceeding *		30% 10%		30-Yr Avg.
		(1000AF)	(1000AF)	(1000AF)	(% AVG.)	(1000AF)	(1000AF)	
LEWIS RIVER at Ariel (2)	APR-SEP	900	1120	1270	105	1420	1640	1204
	APR-JUL	780	970	1100	105	1230	1420	1051
	APR-JUN	695	865	980	105	1100	1270	933
COWLITZ R. b1 Mayfield Dam (2)	APR-SEP	845	1520	1810	92	2100	2780	1970
	APR-JUL	970	1340	1590	92	1840	2210	1731
	APR-JUN	830	1150	1360	92	1570	1890	1477
COWLITZ R. at Castle Rock (2)	APR-SEP	1390	2370	2750	103	3130	4110	2667
	APR-JUL	1590	2070	2400	103	2730	3210	2325
	APR-JUN	1360	1770	2055	103	2340	2760	1995
KLICKITAT near Glenwood	APR-JUN	117	130	138	126	146	159	110
	APR-SEP	146	163	175	125	187	204	140

COWLITZ - LEWIS RIVER BASINS					COWLITZ - LEWIS RIVER BASINS			
Reservoir Storage (1000 AF) - End of February					Watershed Snowpack Analysis - March 1, 1996			
Reservoir	Usable Capacity	*** This Year	Usable Storage Last Year	*** Avg	Watershed	Number of Data Sites	This Year as % of	
							Last Yr	Average
					Cowlitz River	7	85	86
					Lewis River	4	63	62


\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

The average is computed for the 1961-1990 base period.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.
- (2) - The value is natural flow - actual flow may be affected by upstream water management.


## Paradise SNOTEL

### Elevation 5120 ft.




# White - Green - Cedar River Basins

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

Summer runoff is forecast to be 105% of normal for the Green River; and 88% for the Cedar River near Cedar Falls; 85% for the Rex River; 90% for the South Fork of the Tolt River; and 91% for the Cedar River at Cedar Falls. March 1 snowpack was 103% of normal in the White River Basin, and 64% in the Green River Basin. Water content on March 1 at the Morse Lake SNOTEL, at an elevation of 5,400 feet, was 43.7 inches. This site has a March 1 average of 38.5 inches. February precipitation was 168% of normal, bringing the water year-to-date to 158% of average.

For more information contact your local Natural Resources Conservation Service office.



# WHITE - GREEN - CEDAR RIVER BASINS

## Streamflow Forecasts - March 1, 1996

		<<----- Drier ----- Future Conditions ----- Wetter ----->>						
Forecast Point	Forecast Period	Chance Of Exceeding *						30-Yr Avg. (1000AF)
		90% (1000AF)	70% (1000AF)	50% (Most Probable) (1000AF) (% AVG.)		30% (1000AF)	10% (1000AF)	
GREEN RIVER below Howard Hanson Dam	APR-JUL	235	255	271	105	285	305	257
	APR-SEP	260	285	299	105	315	340	285
	APR-JUN	210	230	246	105	260	280	234
CEDAR RIVER near Cedar Falls	APR-JUL	54	62	68	88	74	82	77
	APR-SEP	61	69	75	88	81	90	85
	APR-JUN	49	56	61	89	66	73	68
REX RIVER near Cedar Falls	APR-JUL	17.0	20	23	85	26	29	27
	APR-SEP	19.0	23	26	85	28	32	30
	APR-JUN	16.0	19.0	21	85	23	26	25
CEDAR RIVER at Cedar Falls	APR-JUL	53	66	75	91	83	96	82
	APR-SEP	54	67	76	91	84	97	83
	APR-JUN	51	64	73	91	82	94	80
SOUTH FORK TOLT near Index	APR-JUL	11.0	12.6	13.6	89	14.6	16.2	15.2
	APR-SEP	12.7	14.7	16.0	90	17.3	19.3	17.8
	APR-JUN	9.6	11.0	11.9	91	12.8	14.2	13.1


WHITE - GREEN RIVER BASINS Reservoir Storage (1000 AF) - End of February					WHITE - GREEN RIVER BASINS Watershed Snowpack Analysis - March 1, 1996			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
					White River	3	86	103
					Green River	7	76	65
					Cedar River	2	103	57

\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

The average is computed for the 1961-1990 base period.


- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.  
 (2) - The value is natural flow - actual flow may be affected by upstream water management.

## Stampede Pass SNOTEL Elevation 3860 ft.




# North Puget Sound River Basins

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

Forecast for the Skagit River streamflow is for 96% of normal for the spring and summer periods. February streamflow in the Skagit River was 186% of average. Other forecast points included the Baker River at 96%, and Thunder Creek at 95%. Basin-wide precipitation for February was 163% of average, bringing water year-to-date to 159% of normal. March 1 snow cover in the Skagit River Basin was 108%; the Baker River Basin was, 59%; and the Snohomish River Basin was 70% of average. Rainy Pass SNOTEL, at 4,780 feet, had 51.3 inches of water content; normal March 1 water content is 32.7 inches. March 1 reservoir storage showed Ross Lake at 370% normal and 81% of capacity.

For more information contact your local Natural Resources Conservation Service office.

# NORTH PUGET SOUND RIVER BASINS

## Streamflow Forecasts - March 1, 1996

Forecast Point	Forecast Period	<<===== Drier ===== Future Conditions ===== Wetter =====>>						30-Yr Avg. (1000AF)				
		90% (1000AF)		70% (1000AF)		Chance Of Exceeding * 50% (Most Probable) (1000AF) (% AVG.)			30% (1000AF)		10% (1000AF)	
THUNDER CREEK near Newhalem	APR-JUL	195	210	220	96	230	245	230				
	APR-SEP	285	300	310	95	320	335	328				
	APR-JUN	115	132	143	96	154	171	149				
SKAGIT RIVER at Newhalem (2)	APR-SEP	1630	1910	2100	96	2290	2570	2185				
	APR-JUL	1380	1620	1775	97	1940	2170	1830				
	APR-JUN	1070	1250	1370	97	1490	1670	1410				
BAKER RIVER near Concrete	APR-JUL	670	745	795	95	845	920	836				
	APR-SEP	880	965	1025	96	1090	1170	1064				
	APR-JUN	490	550	588	96	625	685	611				


NORTH PUGET SOUND RIVER BASINS Reservoir Storage (1000 AF) - End of February					NORTH PUGET SOUND RIVER BASINS Watershed Snowpack Analysis - March 1, 1996			
Reservoir	Usable Capacity	*** This Year	Usable Last Year	Storage *** Avg	Watershed	Number of Data Sites	This Year as % of Last Yr Average	
ROSS	1404.1	1138.6	811.9	307.6	Snohomish River	6	71	70
DIABLO RESERVOIR	90.6	85.6	85.7	---	Skagit River	14	94	108
GORGE RESERVOIR	9.8	7.4	7.6	---	Baker River	9	57	59

\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

The average is computed for the 1961-1990 base period.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.  
 (2) - The value is natural flow - actual flow may be affected by upstream water management.


## Rainy Pass SNOTEL Elevation 4780 ft.






# Olympic Peninsula River Basins

Mountain Snowpack\* (inches)



Precipitation\* (% of normal)



\*Based on selected stations

The March forecasts for streamflow runoff in the Dungeness River Basin is 88% of average; the Elwha River is forecasted for 81% of average. The Big Quilcene can expect below normal runoff this summer as well. February precipitation was 116% of average, and has accumulated at 122% of normal for the water year. February precipitation at Quillayute was 10.23 inches, which is below normal at 85% of average. Average March 1 snow cover in the Olympic Basin was much below average at 45%. The Mount Crag SNOTEL near Quilcene had 16.9 inches of snow water-equivalent on March 1; normal for this site is 26.5 inches.

For more information contact your local Natural Resources Conservation Service office.

# OLYMPIC PENINSULA RIVER BASINS

## Streamflow Forecasts - March 1, 1996

		<<===== Drier =====		Future Conditions		===== Wetter =====>>		
Forecast Point	Forecast Period	Chance Of Exceeding *		Chance Of Exceeding *		Chance Of Exceeding *		30-Yr Avg. (1000AF)
		90% (1000AF)	70% (1000AF)	50% (Most Probable) (1000AF)	(% AVG.)	30% (1000AF)	10% (1000AF)	
=====								
DUNGENESS RIVER nr Sequim	APR-SEP	113	129	141	88	153	169	160
	APR-JUL	91	105	114	87	123	137	131
	APR-JUN	68	78	85	87	92	102	98
=====								
ELWHA RIVER nr Port Angeles	APR-SEP	305	365	406	81	445	505	502
	APR-JUL	265	310	345	83	380	425	417
=====								

OLYMPIC PENINSULA RIVER BASINS Reservoir Storage (1000 AF) - End of February					OLYMPIC PENINSULA RIVER BASINS Watershed Snowpack Analysis - March 1, 1996			
Reservoir	Usable Capacity	*** Usable Storage ***			Watershed	Number of Data Sites	This Year as % of	
		This Year	Last Year	Avg			Last Yr	Average
					Elwha River	1	38	23
					Morse Creek	1	50	48
					Dungeness River	1	70	45
					Quilcene River	1	60	64
					Wynoochee River	0	0	0


\* 90%, 70%, 30%, and 10% chances of exceeding are the probabilities that the actual flow will exceed the volumes in the table.

The average is computed for the 1961-1990 base period.

- (1) - The values listed under the 10% and 90% Chance of Exceeding are actually 5% and 95% exceedance levels.  
(2) - The value is natural flow - actual flow may be affected by upstream water management.

## Mount Crag SNOTEL

### Elevation 4050 ft.







*Issued by*

**Paul W. Johnson**  
**Chief**  
**Natural Resources Conservation Service**  
**U.S. Department of Agriculture**

*Released by*

**Lynn A. Brown**  
**State Conservationist**  
**Natural Resources Conservation Service**  
**Spokane, Washington**

---

## The Following Organizations Cooperate With the Natural Resources Conservation Service in Snow Survey Work\*:

### **Canada**

Ministry of the Environment  
Investigations Branch, Victoria, British Columbia

### **State**

Washington State Department of Ecology  
Washington State Department of Natural Resources

### **Federal**

Department of the Army  
Corps of Engineers  
U.S. Department of Agriculture  
Forest Service  
U.S. Department of Commerce  
NOAA, National Weather Service  
U.S. Department of Interior  
Bonneville Power Administration  
Bureau of Reclamation  
Geological Survey  
National Park Service  
Bureau of Indian Affairs


### **Local**

City of Tacoma  
City of Seattle  
Chelan County P.U.D.  
Pacific Power and Light Company  
Puget Sound Power and Light Company  
Washington Water Power Company  
Snohomish County P.U.D.  
Colville Confederated Tribes  
Spokane County  
Yakama Indian Nation

### **Private**

Okanogan Irrigation District  
Wenatchee Heights Irrigation District  
Newman Lake Homeowners Association

\*Other organizations and individuals furnish valuable information for the snow survey reports. Their cooperation is gratefully acknowledged.



Rock Pointe Tower II, Suite 450  
W. 316 Boone Avenue  
Spokane, WA 99201-2349

3  
U. S. DEPT. OF AGRICULTURE  
NATIONAL AGRICUL. LIBRARY  
CURRENT SERIAL RECORDS  
BELTSVILLE, MD 20705



**Washington**  
**Basin Outlook Report**  
Natural Resources Conservation Service  
Spokane, WA

